

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3101	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:28
L2	12659	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:32

L3	28646	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:33
L4	15451	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 synth\$4 retriev \$4) and (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 determin\$2 pre-establish\$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:33

L5	3998	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 synth\$4 retriev \$4) same (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 determin\$2 pre-establish\$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:33
L6	897	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 synth\$4 retriev \$4) same (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 determin\$2 pre-establish\$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:34

L7	3516	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) same (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:34
L8	1125	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) with (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:35

L9	365	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) with (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) with (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:35
L10	10590	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 determin \$2 pre-establish \$1 predefin\$2) with (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:35

L11	25	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) same(predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 pre- establish\$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:36
L12	76	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 pre- establish\$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:36

L13	1343	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 pre- establish\$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:36
L14	5465	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 pre- establish\$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:37

L15	3776	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 synth \$4 retriev\$4) and (predetermin \$3 pre-determin \$2 preset\$1 pre- set\$1 pre- establish\$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 with (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:37
L16	22	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 retriev\$4) same (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:37

L17	34	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) same (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:38
L18	177	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:38

L19	3190	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:38
L20	1204	(client\$1 computer\$1 workstation\$1 terminal\$1) with (Extract\$4 retriev \$4) and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:39

L21	55	(client\$1 computer\$1 workstation\$1 terminal\$1) with (Extract\$4 retriev \$4) same (predermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:39
L22	14	(client\$1 computer\$1 workstation\$1 terminal\$1) with (Extract\$4 retriev \$4) same (predermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:39

L23	34	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) same (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:40
L24	177	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) and (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) same (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:40

L25	3190	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) and (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:40
L26	1342	(client\$1 computer\$1 workstation\$1 terminal\$1) and (Extract\$4 retriev \$4) and (predetermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:41

L27	869	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 retriev\$4) and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:41
L28	3287	(client\$1 computer\$1 workstation\$1 terminal\$1) same (Extract\$4 retriev\$4) and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:42

L29	1	(client\$1 computer\$1 workstation\$1 terminal\$1) and Extract\$4 same (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) near6 (differenc \$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) same backup\$1 same (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:42
L30	6468	(client\$1 computer\$1 workstation\$1 terminal\$1) and Extract\$4 and (pretermin\$3 pre-determin\$2 preset\$1 pre-set \$1 pre-establish \$1 predefin\$2) and (differenc\$3 distinct\$1 variation\$1 alter \$4 chang\$4 modif\$4) and backup\$1 and (server\$1 (data adj base\$1) db \$1 database\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:43
L31	8223	707/201-205. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:58
L32	12747	709/217-219. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:58